


OFERTA SPECIALA CEVISA 2018

Nr. crt.	DESCRIERE	Pret unitar EUR																																																																																																														
1.	<p>Masina de sanfrenat CHP-12</p> <ul style="list-style-type: none"> *putere motor 3 CP; *tensiune alimentare 220/380 V, 50 Hz; *viteza sanfrenare 2,6 m/min; *adancimea max. a sanfrenului pt. material cu rezistenta la rupere de 400 N/mm² = 12 mm; *unghi de sanfrenare standard 30°; *grosimea tablei 6-40 mm; *sanfreneaza teava cu Øint. min.=100 mm; *masa 65 kg. <p>Se livreaza cu:</p> <ul style="list-style-type: none"> -3 freze, una montata pe masina; -1 scula de extractie freza; -dispozitiv de sanfrenat tevi; -set de chei 12-13, 18-19 si 24-26 mm; -set de chei imbus 5 si 6 mm; -2 manuale de instructiuni. <div style="display: flex; align-items: center;">  <table border="1" style="margin-left: 20px;"> <thead> <tr> <th colspan="7">ACEROS AL CARBONO / CARBON STEELS / ACIERS</th> </tr> <tr> <th rowspan="2">α</th> <th colspan="2">R = 40 Kg/mm²</th> <th colspan="2">R = 50 Kg/mm²</th> <th colspan="2">R = 60 Kg/mm²</th> </tr> <tr> <th>w</th> <th>d</th> <th>w</th> <th>d</th> <th>w</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>22,5°</td> <td>12</td> <td>11</td> <td>10</td> <td>9</td> <td>8</td> <td>7,5</td> </tr> <tr> <td>30°</td> <td>12</td> <td>10</td> <td>10</td> <td>8,5</td> <td>8</td> <td>7</td> </tr> <tr> <td>35°</td> <td>12</td> <td>9,5</td> <td>10</td> <td>8</td> <td>8</td> <td>6,5</td> </tr> <tr> <td>37,5°</td> <td>12</td> <td>9</td> <td>10</td> <td>7,5</td> <td>8</td> <td>6</td> </tr> <tr> <td>45°</td> <td>12</td> <td>8,5</td> <td>10</td> <td>7</td> <td>8</td> <td>5,5</td> </tr> </tbody> </table> <table border="1" style="margin-left: 20px;"> <thead> <tr> <th colspan="7">ALEADOS-INOXIDABLES / STAINLESS - ALLOYED STEELS / INOX - ALLIE</th> </tr> <tr> <th rowspan="2">α</th> <th colspan="2">R = 50 Kg/mm²</th> <th colspan="2">R = 60 Kg/mm²</th> <th colspan="2">R = 70 Kg/mm²</th> </tr> <tr> <th>w</th> <th>d</th> <th>w</th> <th>d</th> <th>w</th> <th>d</th> </tr> </thead> <tbody> <tr> <td>22,5°</td> <td>6</td> <td>5,5</td> <td>5</td> <td>4,5</td> <td>4,2</td> <td>3,8</td> </tr> <tr> <td>30°</td> <td>6</td> <td>5</td> <td>5</td> <td>4,3</td> <td>4,2</td> <td>3,6</td> </tr> <tr> <td>35°</td> <td>6</td> <td>5</td> <td>5</td> <td>4</td> <td>4,2</td> <td>3,5</td> </tr> <tr> <td>37,5°</td> <td>6</td> <td>4,5</td> <td>5</td> <td>4</td> <td>4,2</td> <td>3,3</td> </tr> <tr> <td>45°</td> <td>6</td> <td>4</td> <td>5</td> <td>3,5</td> <td>4,2</td> <td>3</td> </tr> </tbody> </table> </div>	ACEROS AL CARBONO / CARBON STEELS / ACIERS							α	R = 40 Kg/mm ²		R = 50 Kg/mm ²		R = 60 Kg/mm ²		w	d	w	d	w	d	22,5°	12	11	10	9	8	7,5	30°	12	10	10	8,5	8	7	35°	12	9,5	10	8	8	6,5	37,5°	12	9	10	7,5	8	6	45°	12	8,5	10	7	8	5,5	ALEADOS-INOXIDABLES / STAINLESS - ALLOYED STEELS / INOX - ALLIE							α	R = 50 Kg/mm ²		R = 60 Kg/mm ²		R = 70 Kg/mm ²		w	d	w	d	w	d	22,5°	6	5,5	5	4,5	4,2	3,8	30°	6	5	5	4,3	4,2	3,6	35°	6	5	5	4	4,2	3,5	37,5°	6	4,5	5	4	4,2	3,3	45°	6	4	5	3,5	4,2	3	<p style="text-align: center;">PRET LISTA 4.740,00</p> <p style="text-align: center;">PRET PROMO 4.265,00</p>
ACEROS AL CARBONO / CARBON STEELS / ACIERS																																																																																																																
α	R = 40 Kg/mm ²		R = 50 Kg/mm ²		R = 60 Kg/mm ²																																																																																																											
	w	d	w	d	w	d																																																																																																										
22,5°	12	11	10	9	8	7,5																																																																																																										
30°	12	10	10	8,5	8	7																																																																																																										
35°	12	9,5	10	8	8	6,5																																																																																																										
37,5°	12	9	10	7,5	8	6																																																																																																										
45°	12	8,5	10	7	8	5,5																																																																																																										
ALEADOS-INOXIDABLES / STAINLESS - ALLOYED STEELS / INOX - ALLIE																																																																																																																
α	R = 50 Kg/mm ²		R = 60 Kg/mm ²		R = 70 Kg/mm ²																																																																																																											
	w	d	w	d	w	d																																																																																																										
22,5°	6	5,5	5	4,5	4,2	3,8																																																																																																										
30°	6	5	5	4,3	4,2	3,6																																																																																																										
35°	6	5	5	4	4,2	3,5																																																																																																										
37,5°	6	4,5	5	4	4,2	3,3																																																																																																										
45°	6	4	5	3,5	4,2	3																																																																																																										
2.	Carucior reglabil CA-12	1.200,00																																																																																																														

Conditii de pret: Preturile nu contin TVA si se calculeaza in RON la cursul BNR din data facturarii.

Conditii de livrare: livrare franco depozit beneficiar.

Garantie: 12 luni de la data livrarii. Sculele, consumabilele si piesele de uzura nu fac obiectul garantiei.

Service: in garantie si post garantie.

Instruire personal: inclusa in pret.